

**LINPAR® 1416-V Normal Paraffin****SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

Trade name	LINPAR® 1416-V Normal Paraffin		
Synonyms	Mixture of Tetradecane, Pentadecane and Hexadecane		
Use	Industrial use, Lighting, Metal Processing, Oilfield Drilling		
Company	Sasol Chemicals (USA) LLC (an affiliate of Sasol Chemicals North America LLC)		
Address	12120 Wickchester Lane Houston TX 77079		
Telephone	CHEMTREC North America Transportation Emergency (24-hr)	(800) 424-9300	
	CHEMTREC World Wide	(703) 527-3887	
	Other Emergencies (24-hr)	(337) 494-5142	
	MSDS and Product Information (8:00am-4:30pm CST)	(281) 588-3491	
	Health and Safety Information (7:30am-4:00pm CST)	(281) 588-3492	
E-mail address	SasolElectronicSDS@us.sasol.com		

SECTION 2 HAZARDS IDENTIFICATION**GHS Hazards**

Aspiration hazard

Category 1

LABEL ELEMENTS**Hazard symbols****Signal word** Danger**Hazard statements** H304 May be fatal if swallowed and enters airways.**Precautionary statements**

Response P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P331 Do NOT induce vomiting.

Storage P405 Store locked up.

Disposal P501 Dispose of contents/ container to an approved waste disposal plant.

LINPAR® 1416-V Normal Paraffin

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

<u>Components</u>	<u>CAS-No.</u>	<u>Weight percent</u>
C14-16 Normal Paraffins	90622-46-1	100

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

SECTION 4 FIRST AID MEASURES

- Eye contact** Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, consult a specialist.
- Skin contact** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.
- Ingestion** Do NOT induce vomiting. Consult a physician.

SECTION 5 FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES

Fire/explosion NFPA Class IIIB combustible liquid.

Suitable extinguishing media Water spray, Foam, Dry chemical, Carbon dioxide (CO₂)

Protective equipment and precautions for firefighters In the event of fire, wear self-contained breathing apparatus.

Further information Keep containers and surroundings cool with water spray.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up Evacuate the area and eliminate all sources of ignition. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7 HANDLING AND STORAGE

Safe handling advice Ensure all equipment is electrically grounded before beginning transfer operations.

LINPAR® 1416-V Normal Paraffin

Storage/Transport pressure Ambient

Load/Unload temperature Ambient, above freezing point. (Product will freeze at 4°C)

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES

Air contaminant levels should be controlled below the PEL or TLV for this product (see Exposure Guidelines).

PERSONAL PROTECTIVE EQUIPMENT

Eyes Wear as appropriate: Goggles, Face-shield

Skin Wear suitable protective clothing, gloves and eye/face protection.

Inhalation Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection.

EXPOSURE GUIDELINES

Contains no substances with occupational exposure limit values., Sasol Chemicals (USA) LLC recommends an internal limit of 5 mg/m³ (8-hour TWA) for exposure to mists of this product.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid;

Colour water-white, oily

Form liquid

Odour Hydrocarbons

Odour Threshold no data available

Flash point 118 °C, 244 °F; PM;

Flammability Upper explosion limit: 4.7 %(V)

Lower explosion limit: 0.5 %(V)

Boiling point/boiling range 248 - 284 °C, 478 - 544 °F; ASTM D-86;

Melting point/range 4 °C, 39 °F; (Freeze pt.)

Auto-ignition temperature 204 °C, 400 °F;

LINPAR® 1416-V Normal Paraffin

Decomposition temperature	no data available
Flammability (solid, gas)	no data available
Vapour pressure	< 0.1 mm Hg @ 20 °C, 68 °F; API Calculation;
Vapour density	7.1
Density	no data available
Specific gravity	0.768 @16 °C, 61 °F;
Water solubility	negligible
Viscosity	2.3 - 2.5 cSt @ 40 °C, 104 °F;
pH	no data available
Evaporation rate	no data available
Partition coefficient: n-octanol/water	no data available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	Stable under recommended storage conditions.
Chemical stability	No decomposition if stored and applied as directed.
Conditions to avoid	Keep away from heat and sources of ignition.
Hazardous decomposition products	Combustion products include carbon dioxide, carbon monoxide and possibly other unidentified organic compounds.
Materials to avoid	Oxidizing agents
Hazardous polymerisation	None known.

SECTION 11 TOXICOLOGICAL INFORMATION

Acute dermal toxicity	LD50 rabbit: > 2,000 mg/kg
Acute inhalation toxicity	LC50 rat (4 hours): > 5.8 mg/l
Acute oral toxicity	LD50 rat: > 2,000 mg/kg

LINPAR® 1416-V Normal Paraffin

Skin corrosion/irritation	(rabbit) Repeated exposure may cause skin dryness or cracking.
Eye damage/irritation	Primary irritation (rabbit): 1 hours; 5.7 (Max. score is 110.) (unwashed eyes), Not irritating
Respiratory or skin sensitization	no data available
Germ cell mutagenicity	Genotoxicity in vitro: no data available Genotoxicity in vivo: no data available Assessment Mutagenicity: no data available
Reproductive toxicity	Reproductive toxicity: no data available Assessment Reproductive toxicity: no data available Teratogenicity: no data available Assessment teratogenicity: no data available
STOT - single exposure	no data available
STOT - repeated exposure	no data available
Aspiration toxicity	May be fatal if swallowed and enters airways.
Carcinogenicity	Assessment carcinogenicity: Contains no ingredient listed as a carcinogen

SECTION 12 ECOLOGICAL INFORMATION

Aquatic toxicity	Not toxic to aquatic organisms (fish, daphnia, algae) up to water solubility.
Toxicity to fish	LL50 (Pimephales promelas (fathead minnow)) 96 hours In the range of water solubility not toxic under test conditions.
Toxicity to aquatic invertebrates	EL50 (Ceriodaphnia Dubia (water flea)) 192 hours In the range of water solubility not toxic under test conditions.
Toxicity to algae	no data available

LINPAR® 1416-V Normal Paraffin

Chronic toxicity to fish no data available

Chronic toxicity to aquatic invertebrates no data available

Biodegradation Readily biodegradable.

OECD Test Guideline 301F (28 d): 82 %
Test substance: LINPAR 1417

Bioaccumulation no data available

Mobility in soil no data available

Other adverse effects no data available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Code Any unused product or empty containers may be disposed of as non-hazardous in accordance with state and federal requirements. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification. If the resulting material is determined to be hazardous, please dispose in accordance with state and federal (40 CFR 262) hazardous waste regulations.

Disposal methods Dispose of only in accordance with local, state, and federal regulations.

Empty containers. Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

SECTION 14 TRANSPORT INFORMATION

DOT Not regulated.

IATA Not regulated.

IMDG Not regulated.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks no data available

LINPAR® 1416-V Normal Paraffin

SECTION 15 REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS**OSHA Hazards (HCS 1994)**

Non-hazardous substance

TSCA Inventory Listing**Components**

Alkanes, C14-16

CAS-No.

90622-46-1

SARA 302 Status**Components****CAS-No.****Weight percent**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Classification

"Immediate (acute) health hazard"

SARA 313 Chemical**Components****CAS-No.****Weight percent**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US. EPA CERCLA Hazardous Substances (40 CFR 302)**Components**

none

Reportable Quantity**Weight percent****INTERNATIONAL REGULATIONS****WHMIS Classification**

WHMIS hazardous composition: No ingredients are hazardous according to the CPR criteria.

European Union

Classification according to Regulation (EU) 1272/2008.

Aspiration hazard, Category 1

Repeated exposure may cause skin dryness or cracking.

Australia. Inventory of Chemical Substances (AICS)

Listed

Japan. Inventory of Existing and New Chemical Substances (ENCS)

Listed

Japan. Industrial Safety & Health Law (ISHL) Inventory

Listed

Canada. Domestic Substances List (DSL) Inventory

Listed

This product or a component is the subject of a Significant New Activity (SNAc) notice under CEPA.

Canadian Non-Domestic Substance Listing (NDSL)

Not listed

European Inventory of Existing Commercial Chemical Substances

Listed

LINPAR® 1416-V Normal Paraffin

(EINECS) Listing

Philippines. Inventory of Chemicals / Chemical Substances (PICCS)	Listed
Korea. Existing Chemicals Inventory (KECI)	Listed
China. Inventory of Existing Chemical Substances (IECSC)	Listed
Mexico. National Inventory of Chemical Substances (INSQ)	Not listed
New Zealand. Inventory of Chemicals (NZIoC)	Listed
Switzerland. Inventory of Notified New Substances (CHINV)	Listed
Taiwan. National Existing Chemical Inventory (NECI)	Listed

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

STATE REGULATIONS

California Prop. 65
Components
none

CAS-No.

SECTION 16 OTHER INFORMATION

HAZARD RATINGS

	<u>Health</u>	<u>Flammability</u>	<u>Physical Hazard/ Instability</u>
HMIS®	1	1	0
NFPA	1	1	0

THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR SASOL CHEMICALS (USA) LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH SASOL CHEMICALS (USA) LLC CONSIDERS ACCURATE AND RELIABLE, SASOL CHEMICALS (USA) LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.
