

acc. to OSHA HCS

Printing date 04/07/2019 Reviewed on 04/07/2019

### 1 Identification

**Product identifier** 

Trade name: Shell Slack Wax SPO

CAS Number: 64742-61-6 EC number: 265-165-5 Index number: 649-244-00-5

Application of the substance / the mixture Professional use only

Details of the supplier of the safety data sheet

Manufacturer / Importer / Supplier:

Alpha Wax USA Corporation 708 Main Street, Suite 06-100 Houston, TX 77002 United States

T: +1 (0)346 299 5500 www.alphawax.com email: info@alphawax.com

Information department: Product safety department.

Emergency telephone number:

USA - For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night +1 800-424-9300 / +1 703-527-3887 CCN826501.

### 2 Hazard(s) identification

Classification of the substance or mixture The substance is not classified, according to the Globally Harmonized System (GHS).

Label elements

Keep out of reach of children Void

Hazard pictograms Void Signal word Void Hazard statements Void

Classification system:

NFPA ratings (scale 0 - 4)



Health = 0 Fire = 1 Reactivity = 0

### HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## 3 Composition/information on ingredients

Chemical characterization: Substances

CAS No. Description

64742-61-6 A complex combination of hydrocarbons obtained from a petroleum fraction by solvent crystallization (solvent dewaxing) or as a distillation fraction from a very waxy crude.

Identification number(s) EC number: 265-165-5 Index number: 649-244-00-5



acc. to OSHA HCS

Printing date 04/07/2019 Reviewed on 04/07/2019

Trade name: Shell Slack Wax SPO

(Contd. of page 1)

### 4 First-aid measures

#### Description of first aid measures

#### General information:

Persons, providing assistance, should avoid exposure and danger for themselves or others.

Take affected persons out of danger area and lay down.

Never give anything by mouth to an unconscious person.

After inhalation: Supply fresh air; consult doctor in case of complaints.

#### After skin contact:

After contact with the molten product, cool rapidly with cold water.

Do not pull solidified product away from the skin.

Seek immediate medical advice.

#### After eye contact:

If possible, remove contact lenses.

Rinse opened eye for several minutes (at least 15 minutes) under running water. If symptoms persist, consult a doctor.

#### After ingestion:

DO NOT INDUCE VOMITING!

Rinse out mouth and then drink plenty of water.

## Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing agents: CO2, powder, foam or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water spray

### Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

# Advice for firefighters

Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Additional information Cool endangered receptacles with water spray.

### **6 Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid breathing vapor and contact with eyes, skin and clothing.

Environmental precautions: for disposing to sewer: seek approval from Sewer System Operator

Methods and material for containment and cleaning up: Allow to solidify. Pick up mechanically.

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **Protective Action Criteria for Chemicals**

### PAC-1:

Substance is not listed.

# PAC-2:

Substance is not listed.

### PAC-3

Substance is not listed.

### 7 Handling and storage

## Handling:

Precautions for safe handling Avoid inhalation of vapors and contact with eyes, skin and clothing.



acc. to OSHA HCS

Printing date 04/07/2019 Reviewed on 04/07/2019

Trade name: Shell Slack Wax SPO

(Contd. of page 2)

Information about protection against explosions and fires: No special measures required.

### Conditions for safe storage, including any incompatibilities

Store in a closed container away from incompatible materials

Store in a cool, dry, well-ventilated place.

Storage:

Requirements to be met by storerooms and tanks: Only use tanks which are specially equipped for this product.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store between 0°C and 40°C in a dry, well ventilated place.

Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

Control parameters

Components with limit values that require monitoring at the workplace: Not required.

Additional information: The lists that were valid during the creation were used as basis.

**Exposure controls** 

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands:

Neoprene gloves

Heat resistant gloves

Only use chemical-protective gloves with CE-labeling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves Neoprene gloves

Penetration time of glove material Not applicable

Eye protection:



Tightly sealed goggles

Use safety glasses that meets the requirements of EN 166; latest versions.

Body protection: Use protective suit.

Limitation and supervision of exposure into the environment Prevent spills from reaching surface waters or soil.

## 9 Physical and chemical properties

Information on basic physical and chemical properties General Information Appearance:		
Form:	Solid (at 20°C)	
Color:	Yellow	
Odor:	Slight hydrocarbon	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Solidification point:	Undetermined. 300-555 °C (572-1,031 °F) 45-55 °C (113-131 °F)	
Flash point:	≥200 °C (≥392 °F)	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	Not determined	

(Contd. on page 4)



acc. to OSHA HCS

Printing date 04/07/2019 Reviewed on 04/07/2019

Trade name: Shell Slack Wax SPO

(Contd. of page 3)

Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	1 Vol %	
Upper:	10 Vol %	
Vapor pressure at 20 °C (68 °F):	785 hPa (588.8 mm Hg) (estimated value)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/water): >6 log POW		
Viscosity:		
Dynamic:	Not applicable.	
Kinematic at 100 °C (212 °F):	3.5 mm2/s	
Solvent content:		
Oxidizing properties:	Not determined	
Other information	No further relevant information available.	

## 10 Stability and reactivity

Reactivity Stable under recommended conditions.

**Chemical stability** 

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents.

Conditions to avoid

Extremely high or low temperatures.

Direct sunlight

Incompatible materials: Oxidising Agents

Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

Information on toxicological effects

Acute toxicity: Primary irritant effect: on the skin: No known effect. on the eye: No known effect.

**Inhalation:** No data available. **Ingestion:** Potential for aspiration if swallowed.

Respiratory or skin sensitization: No sensitizing effects known.

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories

- [	IARC (International Agency for Research on Cancer)	
- 1	IAICO (International Agency for Research off Cancer)	
ļ		
- 1	Substance is not listed.	
- 1	oubstance is not listed.	

## NTP (National Toxicology Program)

Substance is not listed.

(Contd. on page 5)



acc. to OSHA HCS

Printing date 04/07/2019 Reviewed on 04/07/2019

Trade name: Shell Slack Wax SPO

(Contd. of page 4)

### OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

#### Toxicity

The product components are not classified as dangerous for the environment or the quantities are not relevant. Larger or frequent spills can be dangerous or harmful to the environment.

Aquatic toxicity: No further relevant information available.

Persistence and degradability Probably biodegradable in the long term.

Behavior in environmental systems:

Bioaccumulative potential Bioaccumulation is not excluded.

Mobility in soil No further relevant information available.

Additional ecological information:

**General notes:** 

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

## 13 Disposal considerations

### Waste treatment methods

#### Recommendation:

Observe the locally applicable regulations.

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

## Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

UN-Number DOT, ADR/RID/ADN, ADN, IMDG, IATA	Void	
UN proper shipping name DOT, ADR/RID/ADN, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR/RID/ADN, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR/RID/ADN, IMDG, IATA	Void	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and		
the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

(Contd. on page 6)



acc. to OSHA HCS

Printing date 04/07/2019 Reviewed on 04/07/2019

Trade name: Shell Slack Wax SPO

(Contd. of page 5)

### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

ACTIVE

**Hazardous Air Pollutants** 

Substance is not listed.

**Proposition 65** 

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Cancerogenity categories

**EPA (Environmental Protection Agency)** 

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

Keep out of reach of children Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Chemical safety assessment: A Chemical Safety Assessment has been carried out.

## 16 Other information

Training hints Take care of good information, instruction and training for users.

Date of preparation / last revision 04/07/2019 / 1

Abbreviations and acronyms:

ADN: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous
Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (Division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

EC50: Effective Concentration. 50 percent

IOELVS: Indicative Occupational Exposure Limit Values





acc. to OSHA HCS

Printing date 04/07/2019 Reviewed on 04/07/2019

Trade name: Shell Slack Wax SPO

(Contd. of page 6)

mPa.s: milliPascal per second

### Sources

This information is based on the current available data (suppliers of raw materials, chemistry maps, Annex VI) See also the internet site: http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database

#### Disclaimer

The information provided in this Material Safety Data Sheet has been prepared with the utmost care and corresponds to the most recent information available to the supplier on the date of publication mentioned in the header of every page. The contents of this Material Safety Data Sheet should not be considered as a guarantee for certain product properties or fitness for particular purposes. It is the obligation of the user to determine whether the product is suitable for the specific purpose, intended use and the method of application. This Safety Data Sheet only relates to the product described and does not apply to any not defined use or the use of the product in combination with other materials, substances or products. It is the responsibility of the user to use and handle the product with care and to comply with all applicable laws and regulations. The supplier accepts no liability for direct or indirect damages resulting from improper use of this Material Safety Data Sheet and / or the products described therein.

110 -